ELSEVIER

Developmental Brain Research 98 (1997) 298–299

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Altmann, L., see Gutowski, M. (98) 82
Aoki, C.
Postnatal changes in the laminar and subcellular distribution of NMDA-R1 subunits in the cat visual cortex as revealed by immuno-electron microscopy (98) 41

Baker, R.E. and Van Pelt, J.
Cocultured, but not isolated, cortical explants display normal dendritic development: a long-term quantitative study (98) 21
Baram, T.Z., Gerth, A. and Schultz, L.
Febrile seizures: an appropriate-aged model suitable for long-term studies (98) 265
Bauxis-Lagrave, S., see Garbay, B. (98) 197
Beyer, C. and Hutchison, J.B.
Androgens stimulate the morphological maturation of embryonic hypothalamic aromatase-immunoreactive neurons in the mouse (98) 74
Blohm, D.H., see Heck, S. (98) 211
Boiron-Sargueil, F., see Garbay, B. (98) 197
Burke, R.E., see Oo, T.F. (98) 191

Caddy, K., see Nógrádi, A. (98) 91
Carlson-Kuhta, P., Villablanca, J.R. and Loopuijt, L.D.
Innervation of the caudate nucleus, thalamus and red nucleus by the remaining sensorimotor cortex in cats with fetal or neonatal unilateral frontal cortex removal (98) 234
Carter, N., see Nógrádi, A. (98) 91
Cassagne, C., see Garbay, B. (98) 197
Chang, R.P., see Kahn, M.A. (98) 221
Cherubini, E., see Virginio, C. (98) 30
Chiba, C., Matsushima, O., Muneoka, Y. and Saito, T.
Time course of appearance of GABA and GABA receptors during retinal regeneration in the adult newt (98) 204
Choi, S.J., Weisberg, S.N. and Kellogg, C.K.
Control of endogenous norepinephrine release in the hypothalamus of male rats changes over adolescent development (98) 134
Coulter, C.L., Happe, H.K. and Murrin, L.C.
Postnatal development of the dopamine transporter: a quantitative autoradiographic study. Developmental Brain Research 92 (1996) 172–181 (BRESD 52149) (98) 150
Cramer, K.S. and Sur, M.
Blockade of afferent impulse activity disrupts on/off sublamination in the ferret lateral geniculate nucleus (98) 287
Criado, M., see Domínguez del Toro, E. (98) 125

Delhaye-Bouchaud, N., see Hadj-Sahraoui, N. (98) 1
De Vellis, J., see Kahn, M.A. (98) 221
Domínguez del Toro, E., Juíz, J.M., Smillie, F.I., Lindstrom, J. and Criado, M.
Expression of $\alpha 7$ neuronal nicotinic receptors during postnatal development of the rat cerebellum (98) 125
Dunnett, S.B., see Rosser, A.E. (98) 291
Dux, E., see Paschen, W. (98) 271
Duxson, M.J., see Sheard, P.W. (98) 259

Ellison, J.A., see Kahn, M.A. (98) 221
Elson, G., see Garbay, B. (98) 197
Enz, R., see Heck, S. (98) 211

Fisher, S. and Guillet, R.
Neonatal caffeine alters passive avoidance retention in rats in an age- and gender-related manner (98) 145
Frederic, F., see Hadj-Sahraoui, N. (98) 1

Garbay, B., Bauxis-Lagrave, S., Boiron-Sargueil, F., Elson, G. and Cassagne, C.
Acetyl-CoA carboxylase gene expression in the developing mouse brain. Comparison with other genes involved in lipid biosynthesis (98) 197
Gerth, A., see Baram, T.Z. (98) 265
Ghetti, B., see Zhang, W. (98) 164
Giordano, J.
Antinociceptive effects of intrathecally administered 2-methylserotonin in developing rats (98) 142
Gissel, C., see Paschen, W. (98) 271
Greensmith, L., Hind, A. and Vrbová, G.
Neonatal paralysis of the rat soleus muscle selectively affects motoneurones from more caudal segments of the spinal cord (98) 281
Guillet, R., see Fisher, S. (98) 145
Gutowski, M., Altmann, L., Sveinsson, K. and Wiegand, H.
Postnatal development of synaptic plasticity in the CA3 hippocampal region of control and lead-exposed Wistar rats (98) 82

Hadj-Sahraoui, N., Frederic, F., Zanjani, H., Herrup, K., Delhaye-Bouchaud, N. and Mariani, J.
Purkinje cell loss in heterozygous staggerer mutant mice during aging (98) 1
Happe, H.K., see Coulter, C.L. (98) 150
Haring, J.H., see Yan, W. (98) 177
Haring, J.H., see Yan, W. (98) 185
Hatanaka, Y.
Early molecular specification in the hippocampal rudiment: isolation of genes expressed in a region-specific manner in the embryonic telencephalon (98) 65
Heck, S., Enz, R., Richter-Landsberg, C. and Blohm, D.H.
Expression and mRNA splicing of glycine receptor subunits and gephyrin during neuronal differentiation of P19 cells in vitro, studied by RT-PCR and immunocytochemistry (98) 211
Herrup, K., see Hadj-Sahraoui, N. (98) 1
Hind, A., see Greensmith, L. (98) 281
Hutchison, J.B., see Beyer, C. (98) 74

Ikeda, Y., Nishiyama, N., Saito, H. and Katsuki, H.
$GABA_A$ receptor stimulation promotes survival of embryonic rat striatal neurons in culture (98) 253
Inderbitzin, S., Lauber, M.E., Schlumpf, M. and Lichtensteiger, W.
Amphetamine-induced preprodynorphin mRNA expression and κ-opioid receptor binding in basal ganglia of adult rats after prenatal exposure to diazepam (98) 114

Jonsson, N., see Nógrádi, A. (98) 91
Juíz, J.M., see Domínguez del Toro, E. (98) 125

Kahn, M.A., Ellison, J.A., Chang, R.P., Speight, G.J. and De Vellis, J.
CNTF induces GFAP in a S-100α brain cell population: the pattern of CNTF-αR suggests an indirect mode of action (98) 221
Katsuki, H., see Ikeda, Y. (98) 253
Kellogg, C.K., see Choi, S.J. (98) 134
Kelly, C., see Nógrádi, A. (98) 91
Kniesel, U., Risau, W. and Wolburg, H.
Development of blood–brain barrier tight junctions in the rat cortex. (Developmental Brain Research 96 (1996) 229–240) (BRESD 52235) (98) 296

Lauber, M.E., see Inderbitzin, S. (98) 114
Lee, W.-H., see Zhang, W. (98) 164

Lichtensteiger, W., see Inderbitzin, S. (98) 114
Lindstrom, J., see Domínguez del Toro, E. (98) 125
Loopuijt, L.D., see Carlson-Kuhta, P. (98) 234

Mariani, J., see Hadj-Sahraoui, N. (98) 1
Martin, G.F., see Wang, X.M. (98) 151
Martínez, A., see Supèr, H. (98) 15
Matsushima, O., see Chiba, C. (98) 204
Muneoka, Y., see Chiba, C. (98) 204
Murrin, L.C., see Coulter, C.L. (98) 150

Nishiyama, N., see Ikeda, Y. (98) 253
Nógrádi, A., Jonsson, N., Walker, R., Caddy, K., Carter, N. and Kelly, C.
Carbonic anhydrase II and carbonic anhydrase-related protein in the cerebellar cortex of normal and *lurcher* mice (98) 91

Oo, T.F. and Burke, R.E.
The time course of developmental cell death in phenotypically defined dopaminergic neurons of the substantia nigra (98) 191

Paschen, W., Schmitt, J., Gissel, C. and Dux, E.
Developmental changes of RNA editing of glutamate receptor subunits GluR5 and GluR6: in vivo versus in vitro (98) 271
Pérez Sust, P., see Supèr, H. (98) 9

Qin, Y.Q., see Wang, X.M. (98) 151

Richardson, N.A., see Sherrard, R.M. (98) 102
Richter-Landsberg, C., see Heck, S. (98) 211
Risau, W., see Kniesel, U. (98) 296
Rosser, A.E., Tyers, P., Ter Borg, M., Dunnett, S.B. and Svendsen, C.N.
Co-expression of MAP-2 and GFAP in cells developing from rat EGF responsive precursor cells (98) 291

Saito, H., see Ikeda, Y. (98) 253
Saito, T., see Chiba, C. (98) 204
Sankar, R., Shin, D.H. and Wasterlain, C.G.
GABA metabolism during status epilepticus in the developing rat brain (98) 60
Sara, V.R., see Sherrard, R.M. (98) 102
Schlumpf, M., see Inderbitzin, S. (98) 114
Schmitt, J., see Paschen, W. (98) 271
Schultz, L., see Baram, T.Z. (98) 265
Shah, B.H., see Siddiqui, A. (98) 247
Sheard, P.W. and Duxson, M.J.
The transient existence of 'en passant' nerve terminals in normal embryonic rat skeletal muscle (98) 259
Sherrard, R.M., Richardson, N.A. and Sara, V.R.
Localisation of insulin-like growth factor-I (IGF-I) immunoreactivity in the olivocerebellar system of developing and adult rats (98) 102
Shin, D.H., see Sankar, R. (98) 60
Siddiqui, A. and Shah, B.H.
Neonatal androgen manipulation differentially affects the development of monoamine systems in rat cerebral cortex, amygdala and hypothalamus (98) 247
Smillie, F.I., see Domínguez del Toro, E. (98) 125
Soriano, E., see Supèr, H. (98) 15
Soriano, E., see Supèr, H. (98) 9
Speight, G.J., see Kahn, M.A. (98) 221
Supèr, H., Martínez, A. and Soriano, E.
Degeneration of Cajal-Retzius cells in the developing cerebral cortex of the mouse after ablation of meningeal cells by 6-hydroxydopamine (98) 15
Supèr, H., Pérez Sust, P. and Soriano, E.
Survival of Cajal-Retzius cells after cortical lesions in newborn mice: a possible role for Cajal-Retzius cells in brain repair (98) 9
Sur, M., see Cramer, K.S. (98) 287
Sveinsson, K., see Gutowski, M. (98) 82
Svendsen, C.N., see Rosser, A.E. (98) 291

Ter Borg, M., see Rosser, A.E. (98) 291
Terman, J.R., see Wang, X.M. (98) 151
Tyers, P., see Rosser, A.E. (98) 291

Van Pelt, J., see Baker, R.E. (98) 21
Villablanca, J.R., see Carlson-Kuhta, P. (98) 234
Virginio, C. and Cherubini, E.
Glycine-activated whole cell and single channel currents in rat cerebellar granule cells in culture (98) 30
Vrbová, G., see Greensmith, L. (98) 281

Walker, R., see Nógrádi, A. (98) 91
Wang, X.M., Qin, Y.Q., Terman, J.R. and Martin, G.F.
Early development and developmental plasticity of the fasciculus gracilis in the North American opossum (*Didelphis virginiana*) (98) 151
Wasterlain, C.G., see Sankar, R. (98) 60
Weisberg, S.N., see Choi, S.J. (98) 134
Wiegand, H., see Gutowski, M. (98) 82
Wilson, C.C., see Yan, W. (98) 177
Wilson, C.C., see Yan, W. (98) 185
Wolburg, H., see Kniesel, U. (98) 296

Yan, W., Wilson, C.C. and Haring, J.H.
5-HT_{1a} receptors mediate the neurotrophic effect of serotonin on developing dentate granule cells (98) 185
Yan, W., Wilson, C.C. and Haring, J.H.
Effects of neonatal serotonin depletion on the development of rat dentate granule cells (98) 177

Zanjani, H., see Hadj-Sahraoui, N. (98) 1
Zhang, W., Ghetti, B. and Lee, W.-H.
Decreased IGF-I gene expression during the apoptosis of Purkinje cells in *pcd* mice (98) 164